

# Technical Data Sheet

CODE 12614

## VORTICE 150/6" P-LL-S

Wall/window axial fans



### Certifications




IMQ Performance



### TECHNICAL AND PERFORMANCE DATA

Frequency (Hz)	50-60	Max room temperature for continuous operation at 60 Hz (°C)	50
Insulation class	II°	Ø Discharge hole (mm)	150
IP	X4	Voltage (V)	220-240
Max absorbed current (A)	0,16	Weight (Kg)	2,07
Max absorbed power (W)	32	Max airflow (l/s)	105,6
Max absorbed Power at 60 Hz (W)	32	Max airflow (m³/h)	380
Max ambient temperature for continuous operation (°C)	50	RPM	2210
		Sound pressure Lp [dB (A)] at 3 m	46,9

### DIMENSIONS



Ø hole through the glass	185/190
Ø hole through the wall	185/190
Size A (mm)	215
Size B (mm)	218
Size C (mm)	31
Size D (mm)	97,5
Size E (mm)	2/38

### PER INFORMAZIONI / FOR INFORMATION

#### ITALY

Pre Sales:

[prevendita@vortice-italy.com](mailto:prevendita@vortice-italy.com)

After Sales:

[postvendita@vortice-italy.com](mailto:postvendita@vortice-italy.com)

#### UNITED KINGDOM & REP. OF

IRELAND

Sales Dept:

[sales@vortice.ltd.uk](mailto:sales@vortice.ltd.uk)

Technical Dept:

[technical@vortice.ltd.uk](mailto:technical@vortice.ltd.uk)

#### OTHER COUNTRIES

Sales Dept:

[export@vortice-italy.com](mailto:export@vortice-italy.com)

After Sales:

[after-sales@vortice-italy.com](mailto:after-sales@vortice-italy.com)

# Technical Data Sheet

CODE 12614

## VORTICE 150/6" P-LL-S



Wall/window axial fans




### DESCRIPTION

- Model designed for window/wall mounted installation.
- Version with built-in switch operated by pullcord mounted to edge of grille.
- Material: UV resistant ABS plastic (prevents ageing caused by exposure to sunlight).
- Nominal diameter 150 mm.
- Motor protected against thermal overload, with shaft turning in ball bearings, coupled to screw type thermoplastic impeller with wing profile blades.
- IMQ SAFETY and IMQ PERFORMANCE certifications.

### CURVES



### ACCESSORIES



#### KIT TE 150/6" (TORRETTA)

Code 13001



#### KIT MU (MURO)

Code 13018



#### KIT VV 150/6" (DOPPI VETRI)

Code 13021



#### KIT FF 150/6" (DOPPIA FINESTRA)

Code 13024



#### CR5N

Code 12941



#### CR5

Code 12943



#### CREN

Code 12944

### PER INFORMAZIONI / FOR INFORMATION

#### ITALY

Pre Sales:  
prevendita@vortice-italy.com  
After Sales:  
postvendita@vortice-italy.com

#### UNITED KINGDOM & REP. OF

#### IRELAND

Sales Dept:  
sales@vortice.ltd.uk  
Technical Dept:  
technical@vortice.ltd.uk

#### OTHER COUNTRIES

Sales Dept:  
export@vortice-italy.com  
After Sales:  
after-sales@vortice-italy.com